


# MB10/22.SF



MB10/22.SF Screw Clamp Terminal Blocks - For 10.3 x 38 fuses - Grey

## General Information

Extended Product Type	MB10/22.SF
Product ID	1SNA116302R2300
EAN	3472591163025
Catalog Description	MB10/22.SF Screw Clamp Terminal Blocks - For 10.3 x 38 fuses - Grey
Long Description	Protect your circuits with 10.3x38 fuse terminal blocks (fuse not supplied with terminal blocks).

## Ordering

Color	Grey
Minimum Order Quantity	10 piece
Customs Tariff Number	85361050

## Popular Downloads

Data Sheet, Technical Information	1SNC160001C0207-CH-A screw clamp
Instructions and Manuals	1SNC160001C0207-CH-A screw clamp

## Dimensions

Product Net Width	22 mm
Product Net Height	89.5 mm
Product Net Depth / Length	67 mm
Product Net Weight	83 g

## Technical

Rated Cross-Section	6 mm <sup>2</sup>
Spacing	22 mm
Connection Type	Screw Clamp
Function	Fuse
Number of Levels	1
Connecting Capacity Main Circuit	Screw Clamp / Flexible 1x 0.5 ... 6 mm <sup>2</sup> Screw Clamp / Rigid 1x 0.5 ... 10 mm <sup>2</sup>
Rated Current (I <sub>n</sub> )	Main Circuit 30 A
Rated Voltage (U <sub>r</sub> )	800 V

Degree of Protection	acc. to IEC 60529, IEC 60947-1, EN 60529 Main Terminals IP10
Insulation Material	Polyamide
Mounting on DIN Rail	G32 (32 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715 TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715
Wire Stripping Length	12.5 mm
Recommended Screw Driver	6.5 mm
Tightening Torque	Manufacturer 2.3 N·m

## Technical UL/CSA

Maximum Operating Voltage UL/CSA	Main Circuit 600 V
Connecting Capacity Main Circuit UL/CSA	Screw Clamp / Rigid 1x 18 ... 6 AWG
Connecting Capacity UL/CSA	Stranded 6 AWG
Flammability According to UL94	V-0

## Environmental

Ambient Air Temperature	Operation -55 ... +110 °C Storage -55 ... +110 °C
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment

## Certificates and Declarations (Document Number)

cUL Certificate	1SND161000A0203
Declaration of Conformity - CE	1SND225016U1000
EAC Certificate	1SND161009A1100
Environmental Information	1SND220021E1002
Instructions and Manuals	1SNC160001C0207-CH-A screw clamp
RMRS Certificate	1SND161007A1101
RoHS Information	1SND230023F0208

## Classifications

Object Classification Code	X
ETIM 4	EC000899 - Fuse terminal block
ETIM 5	EC000899 - Fuse terminal block
ETIM 6	EC000899 - Fuse terminal block

## Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	176 mm
Package Level 1 Depth / Length	200 mm
Package Level 1 Height	75 mm
Package Level 1 Gross Weight	0.83 kg
Package Level 1 EAN	3472591163025
Package Level 2 Units	100 piece
Package Level 2 Width	300 mm
Package Level 2 Depth / Length	500 mm

---

Package Level 2 Height	300 mm
Package Level 2 Gross Weight	8.3 kg
Package Level 3 Units	2400 piece
Product Packing Type	Box

---

---

## Categories

---

Low Voltage Products and Systems → Connection Devices → Terminal Blocks → Solution Series

