

Programming cable, easy800/MFD-CP8/CP10/EC4P, USB, 2m

Powering Business Worldwide*

Part no. EASY800-USB-CAB Article no. 106408

Delivery programme

Description		USB
Description		USB
Function		For downloading the user program from PC to device
Length	m	2
For use with		easy800 MFDCP8 MFDCP10 EC4P ES4P

Design verification as per IEC/EN 61439

10.2 Strength of materials and parts		
10.2.2 Corrosion resistance	Meets the product standard's requirements.	
10.2.3.1 Verification of thermal stability of enclosures	Meets the product standard's requirements.	
10.2.3.2 Verification of resistance of insulating materials to normal heat	Meets the product standard's requirements.	
10.2.3.3 Verification of resistance of insulating materials to abnormal heat and fire due to internal electric effects	Meets the product standard's requirements.	
10.2.4 Resistance to ultra-violet (UV) radiation	Meets the product standard's requirements.	
10.2.5 Lifting	Does not apply, since the entire switchgear needs to be evaluated.	
10.2.6 Mechanical impact	Does not apply, since the entire switchgear needs to be evaluated.	
10.2.7 Inscriptions	Meets the product standard's requirements.	
10.3 Degree of protection of ASSEMBLIES	Meets the product standard's requirements.	
10.4 Clearances and creepage distances	Meets the product standard's requirements.	
10.5 Protection against electric shock	Does not apply, since the entire switchgear needs to be evaluated.	
10.6 Incorporation of switching devices and components	Does not apply, since the entire switchgear needs to be evaluated.	
10.7 Internal electrical circuits and connections	Is the panel builder's responsibility.	
10.8 Connections for external conductors	Is the panel builder's responsibility.	
10.9 Insulation properties		
10.9.2 Power-frequency electric strength	Is the panel builder's responsibility.	
10.9.3 Impulse withstand voltage	Is the panel builder's responsibility.	
10.9.4 Testing of enclosures made of insulating material	Is the panel builder's responsibility.	
10.10 Temperature rise	The panel builder is responsible for the temperature rise calculation. Eaton will provide heat dissipation data for the devices.	
10.11 Short-circuit rating	Is the panel builder's responsibility.	
10.12 Electromagnetic compatibility	Is the panel builder's responsibility.	
10.13 Mechanical function	The device meets the requirements, provided the information in the instruct leaflet (IL) is observed.	

Technical data ETIM 6.0

PLC's (EG000024) / Accessories for controls (EC002584)				
Electric engineering, automation, process control engineering / Control (accessories) / Control (accessories, unspecified) (ecl@ss8.1-27-24-92-90 [AKN560011])				
Type of electrical accessory	Connecting cable			
Type of mechanical accessory				
Type of documentation				

Approvals

• •		
shipping classification	DNV	

